




FOOD HOSES EOLO PUP FOOD



EOLO PUP FOOD

Colore: transparent with ivory spiral.

Temperature range: -20°C+80°C -4°F + 176°F

Features: ether based PU wall ,food grade, with antishock rigid PVC spiral. Smooth inside, corrugated outside. Light, flexible, extremely resistant to abrasion and flexion, this hose features high mechanical properties. Resistant to many chemicals.


Application: medium suction of dry food such as grains, animal feed, sugar, flour according to EC Directives and Regulations*.

On request is available also in the antistatic version


***Please contact our offices for more information**

Technical Data

Part Number	Inside Ø	Min. Wall Thickness	Max. Wall Thickness	Weight	Vacuum	Bending Radius	Roll Length	Volume
	mm	mm	mm	g/m	mH2O	mm	m	m ³
EP 01 030.0 000.0	30	0,8	3,0	250	3,5	100	30	0,083
EP 01 035.0 000.0	35	0,8	3,3	290	3	120	30	0,101
EP 01 038.0 000.0	38,1	0,8	3,3	310	3	130	30	0,114
EP 01 040.0 000.0	40	1,0	3,6	350	3	140	30	0,133
EP 01 045.0 000.0	45	1,0	4,0	440	3	160	30	0,150
EP 01 052.0 000.0	50,8	1,0	4,5	550	3	175	30	0,201
EP 01 060.0 000.0	60	1,0	4,5	640	3	200	30	0,241
EP 01 063.0 000.0	63,5	1,0	4,5	670	3	230	30	0,293
EP 01 070.0 000.0	70	1,0	4,5	750	3	250	30	0,369
EP 01 076.0 000.0	76,2	1,0	4,5	780	2,5	270	30	0,432
EP 01 080.0 000.0	80	1,0	5,0	900	2,5	290	30	0,485
EP 01 090.0 000.0	90	1,0	5,2	1050	2,5	360	30	0,573
EP 01 100.0 000.0	100	1,0	5,7	1250	2,5	400	30	0,713
EP 01 102.0 000.0	102	1,0	5,7	1270	2,5	400	30	0,725
EP 01 110.0 000.0	110	1,0	5,8	1400	2,5	440	30	0,842
EP 01 120.0 000.0	120	1,0	5,9	1500	2,5	470	30	0,962
EP 01 127.0 000.0	127	1,0	5,9	1600	2,5	500	30	1,120
EP 01 130.0 000.0	130	1,0	5,9	1650	2,5	520	30	1,145
EP 01 140.0 000.0	140	1,0	6,0	1800	2	570	30	1,646
EP 01 150.0 000.0	151,5	1,0	6,4	2000	2	600	20	1,262
EP 01 203.0 000.0	203,2	1,2	8,9	2900	1	400	20	1,768
EP 01 254.0 000.0	254	1,2	8,9	3600	1	500	10	2,175
EP 01 305.0 000.0	304,8	1,2	8,9	4300	0,8	610	10	2,581



Antishok rigid PVC spiral



Food grade PU wall resistant to abrasion